

Graded Surgical Schedule

Notes:-

1. The surgical categories shown in the following schedule indicate the maximum benefits payable for the corresponding surgical operation specified in the Schedule of Benefits.
2. If a surgical procedure performed is not listed in the following schedule, the Company shall pay an amount which would be payable for a surgical procedure of equivalent gravity as shown in the following surgical schedule.
3. If more than one (1) surgical procedure is performed at the same surgical session through the same incision, whether for the same or different disabilities, the Company's liability is limited to pay for the surgical procedure that pays the highest surgical benefits.
4. If more than one (1) surgical procedure is performed, whether at the same or different surgical sessions, through different incisions for different disabilities, the Company shall, subject to Note 3 and Note 5 herein, pay for the surgical procedures performed in respect of each disability.
5. If more than one (1) surgical procedure is performed, whether at the same or different surgical sessions, through different incisions for the same disability, the Company's liability is limited to pay for the surgical procedure that pays the highest surgical benefits.

| | Surgical Category | | Surgical Category |
|---|----------------------|---|----------------------|
| ABDOMEN AND DIGESTIVE SYSTEM | | | |
| ABDOMEN: exploratory laparotomy, celiotomy | Intermediate | MOUTH & TONGUE: Glossectomy, partial, with unilateral radical dissection..... | Major |
| exploration, retroperitoneal | Intermediate | total, with unilateral radical neck dissection..... | Major |
| peritoneum: abscess, drainage..... | Intermediate | PANCREAS: biopsy pancreas..... | Intermediate |
| ANUS: abscess, incision and drainage | Minor | Excision lesion of pancreas..... | Major |
| Fistulectomy, subcutaneous | Minor | Pancreatectomy, with pancreatico-jejunostomy | Major |
| Submuscular | Intermediate | whipple type | Major |
| Fissurectomy: with/without sphincterotomy | Minor | Marsupialization, cyst of pancreas..... | Intermediate |
| Hemorrhoidectomy: external, complete | Intermediate | PHARYNX: Adenoids, Tonsils, drainage, abscess, peritonsillar | Minor |
| internal and external, simple | Intermediate | retropharyngeal/parapharyngeal, intra oral..... | Minor |
| APPENDIX: abscess, incision and drainage..... | Intermediate | Tonsillectomy, with or without adenoidectomy, age 12 and over | Minor |
| Appendectomy | Intermediate | Adenoidectomy | Minor |
| BILIARY TRACT: Choledochotomy/ choledochostomy with/without cholecystotomy | Major | RECTUM: incision and drainage, deep supra levator/ perirectal/retrorectal abscess..... | Minor |
| Cholecystectomy..... | Intermediate | Biopsy, incisional, ano-rectal wall, anal approach .. | Minor |
| with open exploration of common duct | Major | Proctectomy, complete, combined abdominoperineal | Major |
| Cholecystotomy or cholecystostomy..... | Intermediate | Proctoplasty, for prolapsed mucous membrane..... | Intermediate |
| Endoscopy: Anoscopy, with collection specimen .. | Minor | Proctopexy for prolapsed, with sigmoid resection.. | Major |
| Colonoscopy, beyond splenic flexure | Intermediate | Closure, rectovesical, rectourethral fistula with colostomy | Major |
| with removal polyp..... | Intermediate | STOMACH: Gastrotomy, with exploration or foreign body removal | Intermediate |
| Esophagoscopy, with collection specimen | Minor | Pyloromyotomy | Intermediate |
| with biopsy, one or more | Minor | Gastric biopsy, by laparotomy | Intermediate |
| Esophagogastrosocopy, with collection specimen.. | Minor | Local excision ulcer or tumor..... | Intermediate |
| with biopsy, one or more | Minor | Total gastrectomy, with repair by intestinal transplant..... | Major |
| Gastroscopy, with collection specimen | Minor | Sub-total or hemi gastrectomy, with vagotomy..... | Major |
| with biopsy, one or more | Minor | Vagotomy and pyloroplasty, with or without gastrostomy | Major |
| ESOPHAGUS: Esophagotomy, cervical approach with/without removal foreign body | Intermediate | Pyloroplasty | Intermediate |
| Esophagectomy, resection with gastric anastomosis | Major | AMPUTATIONS AND DISARTICULATIONS | |
| Diverticulectomy, esophagus or hypopharynx cervical approach..... | Intermediate | ARMS: through humerus, with implant..... | Intermediate |
| Esophagoplasty, with repair of tracheo-esophagal fistula..... | Major | ANKLE: disarticulation/amputation, through malleoli, tibia and fibula | Intermediate |
| INTESTINES: Duodenotomy..... | Intermediate | FINGER or THUMB: amputation at any joint, single, including neurectomies | Minor |
| Enterolysis, with acute bowel obstruction..... | Intermediate | FOOT: amputation, mid-tarsal or transmetatarsal..... | Intermediate |
| Enterotomy, with exploration/removal foreign body, small bowel | Intermediate | FOREARM: through radius and ulna | Intermediate |
| Excision, one or more lesions small/large bowel, single enterotomy | Intermediate | HAND: transmetacarpal | Intermediate |
| Enterectomy, resection small intestines | Major | HIP: interpelviabdominal amputation..... | Complex |
| Colectomy, partial, with anastomosis..... | Major | disarticulation..... | Major |
| with colostomy | Major | LEG: through tibia and fibula, with immediate fitting technique | Intermediate |
| Tube enterostomy or cecostomy | Intermediate | SHOULDER: amputation, inter thoracoscaphular | Major |
| Ileostomy | Intermediate | disarticulation..... | Major |
| LIVER: needle biopsy, percutaneous | Minor | | |
| wedge biopsy..... | Intermediate | | |
| hepatectomy, partial lobectomy..... | Major | | |
| cyst or abscess, marsupialization of..... | Intermediate | | |
| hepatorrhaphy - suture wound, simple..... | Intermediate | | |

| | Surgical Category | | Surgical Category |
|--|----------------------|---|----------------------|
| THIGH: amputation through femur, any level..... | Intermediate | HIP: traumatic dislocation, manipulative with anaesthesia..... | Minor |
| disarticulation at knee..... | Intermediate | closed or open, with acetabular hip fixation..... | Major |
| TOE: amputation, meta-tarsophalangeal joint..... | Minor | JAW: temporo-mandibular, simple, closed reduction... | Minor |
| WRIST: amputation..... | Intermediate | open reduction with interdental fixation..... | Major |
| Interpelviabdominal amputation (hind quarter amputation)..... | Complex | KNEE: closed, manipulative reduction, with anaesthesia..... | Minor |
| BRAIN, NERVOUS SYSTEM | | closed or open, open reduction..... | Intermediate |
| SKULL: burr holes, not followed by other surgery..... | Intermediate | KNEE CAP: closed manipulative reduction, with anaesthesia..... | Minor |
| burr hole or trephine for drainage intracranial abscess or cyst..... | Major | closed or open, open reduction, with/without patellectomy..... | Intermediate |
| craniectomy or craniotomy, exploratory, supratentorial infratentorial..... | Major | SHOULDER: sternoclavicular, manipulative reduction..... | Minor |
| exploration of orbit or decompression..... | Major | closed or open, acute or chronic, open reduction/repair..... | Intermediate |
| unilateral..... | Major | with fascial graft, includes obtaining graft..... | Intermediate |
| Elevation of depressed fracture, simple, extradural..... | Major | acromioclavicular, with fascial graft, include obtaining graft..... | Intermediate |
| compound or comminuted..... | Major | TOES: tarsal bone, closed, manipulative, with anaesthesia..... | Minor |
| with debridement brain and repair of dura..... | Major | open, uncomplicated, manipulative..... | Minor |
| BRAIN: lobotomy, including cingulotomy..... | Major | closed or open, open reduction..... | Intermediate |
| bilateral..... | Major | astragalo-tarsal joint, closed, manipulative without anaesthesia..... | Minor |
| Brain tumor, excision of supratentorial, except meningioma..... | Major | with anaesthesia..... | Minor |
| meningioma..... | Major | open, uncomplicated, manipulative..... | Minor |
| Brain abscess, excision of..... | Major | closed or open, open reduction..... | Intermediate |
| Cyst, excision of fenestration, supratentorial..... | Major | interphalangeal joint, closed, manipulative with anaesthesia..... | Minor |
| Brain tumor, infratentorial or posterior fossa..... | Major | open, uncomplicated, manipulative..... | Minor |
| Meningioma, infratentorial or posterior fossa..... | Major | closed or open, open reduction..... | Intermediate |
| Lobectomy, partial or total..... | Major | metatarsophalangeal, closed, manipulative with anaesthesia..... | Minor |
| Hemispherectomy..... | Major | open, uncomplicated, manipulative..... | Minor |
| Craniectomy for craniostenosis, multiple sutures..... | Major | closed or open, open reduction..... | Minor |
| Foreign body, excision of from brain..... | Major | interphalangeal joint, closed, manipulative with anaesthesia..... | Minor |
| SPINE: spinal puncture, lumbar, diagnostic..... | Minor | open, uncomplicated, manipulative..... | Minor |
| for decompression..... | Minor | closed or open, open reduction..... | Intermediate |
| Laminectomy for exploration intraspinal canal one or two segments cervical or thoracic..... | Major | metatarsophalangeal, closed, manipulative with anaesthesia..... | Minor |
| lumbar..... | Major | open, uncomplicated, manipulative..... | Minor |
| for decompression spinal cord and/or cauda equina, one or two segments, cervical, thoracic lumbar..... | Major | closed or open, open reduction..... | Minor |
| Laminotomy, one interspace, for herniated disc and/or decompression root nerve, cervical..... | Major | interphalangeal joint, closed, manipulative with anaesthesia..... | Minor |
| bilateral..... | Major | open, uncomplicated, manipulative..... | Minor |
| lumbar..... | Major | closed or open, open reduction..... | Minor |
| bilateral..... | Major | WRIST: radio-carpal or intercarpal, closed manipulative reduction..... | Minor |
| Laminectomy, for herniated disc, thoracic, posterior approach..... | Major | closed or open, open reduction..... | Intermediate |
| Discectomy, single interspace, cervical..... | Major | distal radio-ulnar, closed manipulative..... | Minor |
| Laminectomy, for intraspinal lesion, cervical/thoracic..... | Major | closed or open, open reduction or repair..... | Intermediate |
| lumbar..... | Major | EAR | |
| DISLOCATIONS | | Myringotomy by needle, with/without aspiration/ eustachian inflation..... | Minor |
| ANKLE: closed, manipulative reduction with anaesthesia..... | Minor | Tympanostomy (requires insertion of ventilating tube) with opening microscope, office..... | Minor |
| closed or open, open reduction..... | Intermediate | in surgical suite..... | Minor |
| distal tibio-fibular joint, closed or open, open reduction..... | Intermediate | Transmastoid antrotomy..... | Intermediate |
| ELBOW: closed, manipulative reduction, with anaesthesia..... | Minor | Mastoidectomy modified radical or radical, unilateral..... | Major |
| closed or open, open reduction..... | Intermediate | Myringoplasty, confined to drumhead and donor area..... | Intermediate |
| FINGER: | | Tympanoplasty, with mastoidectomy..... | Major |
| Metacarpophalangeal, closed, requiring anaesthesia..... | Minor | with ossicular chain reconstruction..... | Major |
| open, uncomplicated, manipulative..... | Minor | Fenestration, unilateral..... | Major |
| closed or open, open reduction..... | Intermediate | Stapes mobilization..... | Intermediate |
| Intraphalangeal joint, closed manipulative..... | Minor | Excision aural polyp..... | Minor |
| open, uncomplicated, manipulative..... | Minor | ENDOCRINE SYSTEM | |
| closed or open, open reduction..... | Minor | THYROID: Thyro-glossal cyst, incision and drainage..... | Minor |
| | | biopsy needle..... | Minor |

| | Surgical Category |
|---|----------------------|
| cyst or adenoma, small excision of, or transection of isthmus | Intermediate |
| Lobectomy, total, unilateral, with contralateral subtotal lobectomy | Intermediate |
| Thyroidectomy, total or complete | Intermediate |
| total or subtotal with radical neck resection | Major |
| Endolymphatic Sac operation with shunt..... | Complex |
| Vestibular nerve section, Translabirinthine..... | Complex |
| Total facial nerve decompression and/or repair, may include graft..... | Complex |
| Decompression, internal auditory canal..... | Complex |
| Tympanic neurectomy..... | Complex |
| Radical excision, external auditory canal lesion, with neck dissection..... | Complex |

EXCISION, FIXATION OR REPAIR BY CUTTING OPERATIONS

| | |
|---|--------------|
| ANKLE: Achilles Tendon repair, primary..... | Intermediate |
| lengthening or shortening of tendon, single..... | Intermediate |
| repair, primary, torn or severed collateral ligament... both collateral ligaments | Intermediate |
| ELBOW: tendon lengthening, single..... | Intermediate |
| Flexorplasty..... | Intermediate |
| Arthroplasty, radial head, with implant..... | Intermediate |
| FEMUR: excision bone cyst/benign tumor | Intermediate |
| with autogenous graft (includes obtaining graft)..... | Intermediate |
| HAND and FINGERS: excision/curettage bone cyst/ benign tumors, metacarpal, with autogenous graft (includes obtaining graft) | Intermediate |
| phalanx..... | Intermediate |
| with autogenous graft (includes obtaining graft) | Intermediate |
| HIP: external oblique muscle transfer to greater trochanter, including graft..... | Intermediate |
| iliopsoas transfer to greater trochanter..... | Major |
| muscle release, complete..... | Major |
| arthroplasty with acetabuloplasty..... | Major |
| acetabular and proximal femoral prosthetic replacement | Major |
| osteotomy iliac or acetabular | Major |
| arthrodesis, hip joint, with subtrochanteric osteotomy | Major |
| HUMERUS: excision/curettage bone cyst/benign tumor | Intermediate |
| KNEE: suture infrapatellar tendon, primary..... | Intermediate |
| lengthening hamstring tendon, multiple one leg..... | Intermediate |
| repair, primary, torn/severed collateral ligament with or without meniscectomy | Intermediate |
| collateral and cruciate ligaments..... | Major |
| capsulotomy, posterior capsular release..... | Intermediate |
| PELVIS: excision bone cyst/benign tumor, superficial pelvis; with or without graft..... | Minor |

EYE

| | |
|--|--------------|
| EYEBALL: evisceration ocular contents, with implant | Intermediate |
| enucleation, with implant, muscles attached to implant | Intermediate |
| exenteration of orbit, with temporalis muscle transfer..... | Major |
| removal foreign body, conjunctival, superficial..... | Minor |
| embedded, subconjunctival or scleral | Minor |
| corneal with slit lamp..... | Minor |
| EXTRAOCULAR MUSCLE: repair wound..... | Minor |
| CORNEA: excision of lesion..... | Intermediate |
| excision or transposition of pterygium..... | Minor |
| SCLERA: fistulization for glaucoma, trephine, with iridectomy..... | Intermediate |
| repair scleral staphyloma, with graft | Major |

| | Surgical Category |
|---|----------------------|
| IRIS: iridectomy, stab incision | Minor |
| iridectomy, with cyclotomy..... | Major |
| LENS: removal after cataract or membranous cataract | Intermediate |
| removal lens material, aspiration technique | Major |
| expression of cataract, linear..... | Major |
| RETINA: repair retinal detachment | Major |
| with vitrectomy, with/without air tamponade..... | Major |
| prophylaxis, retinal detachment, diathermy or cryotherapy | Intermediate |
| destruction, localized lesion, retina or choroid | Intermediate |
| CONJUNCTIVA: incision and drainage cyst, sty | Minor |
| LACRIMAL SYSTEM: incision and drainage lacrimal gland..... | Minor |
| lacrimal sac..... | Minor |
| excision of lacrimal sac or gland - total or partial | Intermediate |

FRACTURES

| | |
|--|--------------|
| ANKLE: single malleolus, closed, manipulative reduction..... | Minor |
| closed or open, open reduction with skeletal fixation..... | Intermediate |
| bi-malleolar, closed with manipulative reduction..... | Minor |
| closed or open reduction with/without skeletal fixation..... | Intermediate |
| tri-malleolar, closed, manipulative reduction, with anaesthesia..... | Intermediate |
| closed or open, open reduction with skeletal fixation posterior lip (malleolus)..... | Intermediate |
| CLAVICLE: closed, manipulative reduction..... | Minor |
| closed or open, open reduction, with/without skeletal fixation | Intermediate |
| ELBOW: comminuted, closed, manipulative reduction..... | Intermediate |
| closed or open, open reduction, with/without skeletal fixation | Major |
| FEMUR: shaft, closed, manipulative reduction, age 12 and over | Intermediate |
| closed or open, reduction with/without skeletal fixation, over 12 | Major |
| distal end, medial or lateral condyle, closed, manipulative reduction..... | Intermediate |
| closed or open, open reduction, with/without skeletal fixation | Major |
| FIBULA: proximal end, open, uncomplicated soft-tissue closure, manipulative | Minor |
| closed or open, open reduction with skeletal fixation..... | Intermediate |
| distal end, closed, manipulative reduction with anaesthesia | Minor |
| FINGERS: metacarpal, single closed, manipulative reduction | Minor |
| closed/open, open reduction with/without skeletal fixation..... | Intermediate |
| carpometacarpal, closed, manipulative reduction..... | Minor |
| with skeletal fixation..... | Minor |
| closed/open, open reduction with/without skeletal fixation..... | Intermediate |
| phalangeal, closed, manipulative reduction..... | Minor |
| closed/open, open reduction, with/without skeletal fixation..... | Minor |
| intra-articular, complex, open reduction with/without skeletal fixation | Intermediate |
| FOOT: Tarsal, closed, manipulative | Minor |
| Metatarsal, closed, manipulative | Minor |

| | Surgical Category | | Surgical Category |
|--|----------------------|---|----------------------|
| HUMERUS: shaft, closed manipulative reduction | Minor | prostatectomy, external drainage or abscess, complicated..... | Intermediate |
| closed/open reduction, with/without skeletal fixation..... | Intermediate | prostatectomy, sub-total or total..... | Major |
| supracondylar or transcondylar, closed, manipulative reduction..... | Minor | radical | Major |
| with traction, pin or skin..... | Intermediate | FEMALE | |
| with percutaneous skeletal fixation..... | Intermediate | PERINEUM: abscess, incision and drainage, or biopsy | Minor |
| closed/open, open reduction, with/without skeletal fixation | Intermediate | VULVA and INTROITUS: Bartholin's cyst, incision and drainage..... | Minor |
| epicondylar, medial or lateral, closed, manipulative reduction..... | Minor | marsupialization | Minor |
| closed/open, open reduction, with/without skeletal fixation | Intermediate | Vulvectomy, complete, bilateral | Intermediate |
| condylar, radial or lateral, closed, manipulative reduction..... | Minor | Radical, excluding skin graft..... | Major |
| closed/open, open reduction, with/without skeletal fixation | Intermediate | Excision, Bartholin's tumor or cyst | Minor |
| JAW: mandibular, closed, manipulative reduction with interdental fixation | Intermediate | VAGINA: Colpotomy with exploration..... | Minor |
| open reduction with interdental fixation | Major | biopsy, vaginal mucosa | Minor |
| KNEE CAP: open reduction..... | Minor | Colpectomy, complete obliteration | Intermediate |
| RADIUS: shaft, closed, manipulative reduction, age 12 and over | Minor | Anterior colporrhaphy, repair cystocic, with/ without repair urethrocele | Intermediate |
| closed/open, open reduction, with skeletal fixation, age 12 and over..... | Intermediate | Posterior colporrhaphy, repair of rectocele..... | Minor |
| RIBS: simple, 1 rib..... | Minor | Combined anterior/posterior colporrhaphy..... | Intermediate |
| SCAPULA: closed manipulative reduction | Minor | Repair of enterocle, abdominal approach | Intermediate |
| closed/open, juxta-articular, open reduction with/without skeletal fixation..... | Intermediate | CERVIX UTERI: biopsy or local excision of lesion, or cauterization..... | Minor |
| SPINE: vertebral process, one/more, manipulative reduction with anaesthesia cervical, open reduction and fusion, posterior approach, with local | Major | trachelectomy, cervicectomy, amputation of cervix..... | Minor |
| anterior approach with iliac or other bone graft | Major | CORPUS UTERI: endometrial biopsy, suction | Minor |
| TIBIA: shaft, closed, manipulative reduction, age 12 and over | Intermediate | dilation and curettage (non-obstetrical) | Minor |
| closed/open, open reduction, with skeletal fixation..... | Intermediate | Myomectomy, single or multiple, abdominal approach | Intermediate |
| TIBIA and FIBULA: shafts closed, manipulative with/without external pinning | Intermediate | Hysterectomy, total abdominal approach | Intermediate |
| closed/open, open reduction, with/without skeletal fixation, age 12 and over..... | Intermediate | OVIDUCT: transection fallopian tube, unilateral/ bilateral independent | Intermediate |
| ULNA: shaft, closed manipulative reduction, age 12 and over | Minor | Salpingo-oophorectomy, complete/partial, unilateral/bilateral | Intermediate |
| closed/open, open reduction with skeletal fixation, age 12 and over..... | Intermediate | OVARY: drainage of cyst(s), vaginal approach, unilateral/bilateral | Minor |
| ULNA and RADIUS: shaft, closed, manipulative reduction, age 12 and over..... | Intermediate | abdominal approach..... | Intermediate |
| closed/open, open reduction, with skeletal fixation, age 12 and over..... | Intermediate | drainage of ovarian abscess, vaginal approach..... | Minor |
| WRIST: Colles or Smith type, closed manipulative reduction, age 12 and over..... | Minor | oophorectomy, with total omentectomy..... | Intermediate |
| closed, complex, with external skeletal fixation/ percutaneous pinning..... | Intermediate | HEMIC AND LYMPHATIC SYSTEMS | |
| | | SPLEEN: splenectomy..... | Intermediate |
| GENITAL SYSTEMS | | HEART AND CIRCULATORY SYSTEMS | |
| MALE | | PERICARDIUM: Pericardiectomy for removal clot or foreign body | Intermediate |
| PENIS: biopsy, cutaneous..... | Minor | partial resection for chronic constructive pericarditis, with bypass | Major |
| deep..... | Minor | HEART: intracardiac tumor, resection with bypass..... | Major |
| excision penile plaque..... | Intermediate | pacemaker, insertion with epicardial electrode..... | Intermediate |
| amputation, partial..... | Intermediate | repair, cardiac wound, with bypass..... | Major |
| radical..... | Major | cardiotomy and removal foreign body, with bypass .. | Major |
| circumcision, office..... | Minor | AORTA and GREAT VESSELS: suture repair, with bypass | Major |
| hospital | Minor | myocardial resection | Major |
| TESTIS: biopsy, needle..... | Minor | repair post infarction ventricular spetal defect | Major |
| incisional, bilateral | Minor | Ascending arch graft, with valve replacement..... | Complex |
| excision, local lesion | Minor | VALVES: Aortic, commissurotomy, with bypass..... | Major |
| orchiectomy, simple, unilateral..... | Minor | valvuloplasty, with bypass | Major |
| radical..... | Intermediate | Mitral, commissurotomy, open, with bypass | Major |
| PROSTATE: biopsy, needle or punch | Minor | valvuloplasty, with bypass | Major |
| incisional | Intermediate | Tricuspid, commissurotomy, open, with bypass..... | Major |
| | | valvuloplasty or valvectomy, with bypass..... | Major |
| | | Pulmonary, commissurotomy with bypass | Major |
| | | Replacement, single valve..... | Major |
| | | double valve with commissurotomy/ valvuloplasty one valve | Complex |
| | | triple valve | Complex |

| | Surgical Category | | Surgical Category |
|---|----------------------|---|----------------------|
| CORONARY ARTERY: anomalous ligation..... | Major | excision, dermoid cyst, simple | Minor |
| with bypass..... | Major | turbinate, partial/complete..... | Minor |
| CORONARY ARTERY BYPASS : autogenous | | submucous resection, tubinate, partial/complete | Intermediate |
| on two coronary arteries | Complex | removal foreign body, intranasal, requiring | |
| on three or more coronary arteries..... | Complex | general anaesthesia | Minor |
| PULMONARY ARTERY: embolectomy, | | SINUSES: lavage by cannulation (antrum puncture | |
| with bypass..... | Major | or natural ostium), each..... | Minor |
| ARTERIES and VEINS: Arterial embolectomy, | | sphenoid sinus | Minor |
| carotid..... | Intermediate | sinusotomy maxillary, intranasal, unilateral..... | Minor |
| renal..... | Major | radical, (Caldwell-Luc) unilateral..... | Intermediate |
| femoral popliteal, unilateral..... | Intermediate | combined, three or more sinuses | Major |
| Venous thrombectomy, iliac-femoral, unilateral..... | Intermediate | LARYNX: laryngotomy, with removal tumor/ | |
| bilateral..... | Intermediate | laryngocele, cordectomy..... | Major |
| Varicose, ligation/division/stripping, long | | laryngectomy, total, without radical neck | |
| saphenous, complete, unilateral | Intermediate | dissection | Major |
| bilateral | Intermediate | with radical neck dissection..... | Major |
| short or lesser saphenous unilateral | Minor | Pharyngolaryngectomy with radical neck | |
| bilateral..... | Intermediate | dissection and/reconstruction..... | Complex |
| long and short saphenous, unilateral..... | Intermediate | TRACHEA and BRONCHI: tracheotomy..... | Minor |
| bilateral..... | Intermediate | bronchoscopy, diagnostic | Minor |
| ligation and excision - minor veins | Minor | with biopsy..... | Minor |
| MATERNITY | | | |
| Hysterotomy, abdominal, for removal hydatidiform | | SKIN, INTEGUMENTARY, BREAST | |
| mole..... | Intermediate | ABSCCESS: carbuncle or furuncle, incision and | |
| Hydatidiform Mole, evacuation by dilation and | | drainage/puncture aspiration..... | Minor |
| curettage..... | Intermediate | complicated | Minor |
| Ectopic Pregnancy, tubal, abdominal/vaginal | | ACNE: marsupialization or removal multiple milia, | |
| approach..... | Intermediate | comedones, cysts, pustules | Minor |
| Ovarian Pregnancy | Intermediate | BENIGN LESIONS: skin tags excision, including | |
| Interstitial, hysterectomy for uterine pregnancy, | | anaesthesia, up to 15 | Minor |
| total/sub-total | Intermediate | each additional 10 | Minor |
| Dilation & curettage, postpartum hemorrhage, same | | other, up to 0.5 cm diameter..... | Minor |
| admission as delivery..... | Minor | 0.5 cm to 1 cm | Minor |
| Vaginal Delivery, with/without forceps | Intermediate | 1 cm to 2 cm | Minor |
| Caesarian section, low cervical or classic | Intermediate | paring or curettement, with/without cauterization.... | Minor |
| Abortion, completed by dilation and curettage | Intermediate | each additional, up to 4 | Minor |
| induced by dilation and curettage..... | Intermediate | MALIGNANT LESIONS: up to 0.5 cm..... | Minor |
| | | 0.5 cm to 1 cm | Minor |
| | | 1 cm to 2 cm | Minor |
| | | Biopsy, skin or subcutaneous tissue, including | |
| | | closure, first | Minor |
| | | CYST: infected or non-infected, incision and | |
| | | drainage, first lesion | Minor |
| | | second lesion..... | Minor |
| | | each additional..... | Minor |
| | | excision with removal sac and treatment of | |
| | | cavity | Minor |
| | | PILONIDAL SINUS OR CYST: incision and | |
| | | drainage | Minor |
| | | excision, sample..... | Minor |
| | | NAILS: avulsion, nail plate, partial or complete, | |
| | | first..... | Minor |
| | | second | Minor |
| | | each additional..... | Minor |
| | | excision, nail and matrix, partial or complete..... | Minor |
| | | REPAIRS: simple, sum of length of repairs; | |
| | | up to 2.5 cm..... | Minor |
| | | over 2.5cm to 7.5 cm..... | Minor |
| | | over 7.5 cm to 12.5 cm..... | Minor |
| | | over 12.5 cm to 20 cm..... | Minor |
| | | over 20 cm to 30 cm..... | Minor |
| | | intermediate | |
| | | up to 2.5 cm..... | Minor |
| | | over 2.5 cm to 7.5 cm..... | Minor |
| | | over 7.5 cm to 12.5 cm..... | Minor |
| | | over 12.5 cm to 20 cm..... | Minor |
| | | complex | |
| | | 1 cm to 2.5 cm | Minor |
| | | over 2.5 cm to 7.5 cm..... | Minor |

| | Surgical Category | | Surgical Category |
|---|----------------------|--|----------------------|
| TISSUE TRANSFER or RE-ARRANGEMENT: | | | |
| Trunk, up to 10 sq. cm..... | Minor | BREAST: puncture aspiration of cyst, single..... | Minor |
| over 10 sq. cm to 30 sq. cm..... | Intermediate | mastotomy, with exploration/drainage of deep abscess | Minor |
| Scalp, Arms, Legs, up to 10 sq. cm..... | Intermediate | biopsy, needle | Minor |
| over 10 sq. cm to 30 sq. cm..... | Intermediate | incisional..... | Minor |
| Forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands or feet, up to 10 sq. cm..... | Intermediate | excision, cyst/fibro-adenoma/benign tumor/ aberrant tissue/duct lesion/nipple lesion; male or female, 1 or more, unilateral..... | Minor |
| over 10 sq. cm to 30 sq. cm..... | Intermediate | mastectomy, complete, unilateral..... | Intermediate |
| Eyelids, nose, ears, or lips up to 10 sq. cm..... | Intermediate | bilateral | Intermediate |
| FREE SKIN GRAFTS: pinch, single or multiple..... | Minor | partial, unilateral | Intermediate |
| Spilt skin, trunk, scalp, arms, legs, hand, feet, up to 100 sq. cm..... | Minor | subcutaneous unilateral..... | Intermediate |
| each additional 100 sq. cm..... | Minor | radical, include breast, pectoral muscles, axillary and lymph nodes..... | Major |
| Face, mouth, neck, ears, eyelids, orbit, genitalia, up to 100 sq. cm | | | |
| FULL THICKNESS: free, including closure donor site | | URINARY SYSTEM | |
| Trunk, up to 20 sq. cm..... | Minor | KIDNEY: exploration..... | Intermediate |
| each additional 20 sq. cm..... | Minor | drainage perirenal or renal abscess | Intermediate |
| Scalp, arms, legs, up to 20 sq. cm..... | Intermediate | nephrostomy, nephrotomy with drainage..... | Major |
| each additional 20 sq. cm..... | Minor | nephrolithotomy (removal of calculus)..... | Major |
| Forehead, cheeks, chin, mouth, genitalia, neck, axillae, hands, feet, up to 20 sq. cm..... | Intermediate | large staghorn calculus..... | Major |
| each additional 20 sq. cm..... | Minor | biopsy, percutaneous | Minor |
| Eyelids, nose, ears and lips, up to 20 sq. cm..... | Intermediate | by surgical exposure..... | Intermediate |
| each additional 20 sq. cm..... | Minor | Nephrectomy, including partial ureterectomy..... | Major |
| PEDICLE FLAPS: skin and deep tissue | | radical, with regional lymphadenectomy..... | Major |
| tube pedicle without transfer or major "delay" | | Cysts, excision of..... | Major |
| of large flap | Intermediate | aspiration or injection of, percutaneous..... | Minor |
| primary attachment, open/tubed flap to recipient site..... | Intermediate | nephropexy, fixation or suspension of kidney..... | Intermediate |
| intermediate "delay" any flap, primary "delay" | | URETER: ureterotomy, with exploration or drainage..... | Major |
| small flap or sectioning of pedicle or tubed or direct trunk flap, Trunk | Intermediate | ureterolithotomy, upper one third of ureter..... | Major |
| Scalp, arms, legs..... | Intermediate | BLADDER: aspiration by needles | Minor |
| Forehead, cheek, chin, mouth, neck, axillae, genitalia, eyelids, nose, hands or feet..... | Major | by trochar or inter catheter..... | Minor |
| | | by insertion suprapubic catheter | Minor |
| | | Cystotomy or cystostomy with fulguration..... | Intermediate |
| | | Cystostomy with insertion ureteral catheter | Intermediate |